MACHEREY-NAGEL



www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90205	Spec. ind. pH 0.5-5.5, reel	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	90205
	Product name	Spec. ind. pH 0.5-5.5, reel
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not require registration or ed from registration.
		1 x 5 m reel indicator paper
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	nguages) in Internet: http://www.mn-net.com/MSDS
SECT	ON 2: Hazard identificatio	n
2.1	Classification of the substance	ce or mixture
	5 m reel indicator paper	
	Directive 1999/45/EC	
	Symbols	- do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	5 m reel indicator paper	
	Directive 1999/45/EC Symbols: -	
	-	

S 22



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90205	Spec. ind. pH 0.5-5.5, reel	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous

Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

5 m reel indicator paper

 i maloutor pupor			
Chemical: cellulo	se		CAS No.: 9004-34-6
Concentration:	90 - <100 %		
Formula:	(C ₆ H ₁₀ O ₅) _n		
REACH Reg. No.:	exempt, Annex IV		
EC No.:	232-674-9		
RTECS:	FJ5691460		
TSCA Inventory:	listed		
KE No.:	KE-05339		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Chemical: indicat	or dye(s)		CAS No.: -
Concentration:	0,1 - <1 %		
TSCA Inventory:	all <1%		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1	After SKIN Contact Not necessary. Remove dust with wetted tissue.
4.1.2	After EYE Contact Not necessary. Rub dust with teardrops from eyes
4.1.3	After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be inhaled.
4.1.4	After ORAL Intake Not necessary.

4.2 Most important symptoms and effects, both acute and delayed

www.mn-net.com

US:

Tel.: +1 484 821 0984

Fax: +1 484 821 1272



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: 2.4.3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90205	Spec. ind. pH 0.5-5.5, reel	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): nwg
- 7.2.1 Requirements for Stock Rooms and Containers Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

5 m reel indicator paper Chemical: <i>cellulose</i>		CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted ave	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ erage to a reference period of 8 hours, [STEL] Short-term exposure li	imit related to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	

Chemical: *indicator dye(s)*

CAS No.: -

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany CHEREY-NAGE US: DE and international: CH: FR: $\langle MN \rangle$ Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 EN ISO 9001: 2008 CERTIFIED Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	0205 g date: 09.05.2017	Spec. ind. pH 0.5-5.5, reel Date of issue: 28.03.2017	Page: 4/
B.2	Exposure controls	But 61 10000. 20.00.2011	
	Not necessary.		
3.2.1	Respiratory Protection Not necessary.		
3.2.2	Hand Protection Not necessary.		
3.2.3	Eye Protection Not necessary.		
3.2.4	Skin Protection Not necessary.		
3.2.5	Personal Hygiene Information not necessary.		
SECT	FION 9: Physical and ch	emical properties	
9 .1	Information on basic phy	sical and chemical properties	
	5 m reel indicator paper Appearance: solid	Colour: colored Odor: odorless	
9.2	Other information Relevant Properties of Substan	ce Group	
SECI	FION 10: Stability and re	eactivity	
10.1	Reactivity None		
10.2	Chemical stability No known instability.		
10.3	Possibility of hazardous None.	reactions	
10.4	Conditions to avoid		
10.5	Incompatible materials	concentrated acids and oxidizing agents.	
10.6	Hazardous decompositio		
		I reagents are safety and separated stored. Decompositions are not obse	rved during the expiration
SECI	ION 11: Toxicological i	nformation	
11.1	Information on toxicologi Following information is valid for		
	5 m reel indicator paper		
	Chemical: cellulos		04-34-6
	TSCA Inventory: Exposure Routes:	listed California Proposition 65 List: not listed inhalation, skin and/or eye contact	
	Target Organs:	Eyes, skin, respiratory system	
	Symptoms: Australia NICNAS:	irritation eyes, skin, mucous membrane not listed Canada CEPA 1999: DSL yes	
	Japan CSCL/PRTR:	not listed	
	Japan PDSCL:	not listed Japan ISHL: not listed	
	South Korea TCCA: Korea Exist.Chem.Inventory:	not listed KE-05339	
	LD50 _{orl rat} :	>5000 mg/kg	
		> F000 manufactoria	
	LC50 _{ihl rat} :	>5800 _{4h} mg/m ³	
		>58004h mg/m² >2000 mg/kg	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272
 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90	205 date: 09.05.2017	Spec. ind. pH 0.5-5. Date of issue: 28.03		Page: 5/6
Printing	dale. 09.05.2017	Date of issue. 26.03	2017	
	Chemical: indicator TSCA Inventory:	<i>r dye(</i> s) all <1%	CAS No.: -	
SECT	ON 12: Ecological info	rmation		
12.1	Toxicity Following information is valid fo	r pure substances.		
	5 m reel indicator paper Chemical: cell Water hazard class (DE): Storage class (VCI):	ulose nwg 11	CAS No.: 9004-34-6	
	Chemical: indi Storage class (VCI):	icator dye(s) 12-13	CAS No.: -	
12.2	Persistence and degradat	bility		
12.3	Bioaccumulative potential not necessary	I		
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB no data available	assessment		
12.6	Other adverse effects no additional data available			
	ON 13: Disposal consider the tensor of tensor	derations		
13.1	Waste treatment methods	icipal waste, empty liquids diluted in	to drains.	
SECT	ON 14: Transport infor	mation		
14	.1 - 14.4 Not necessary			
14.5	Environmental hazards not necessary			
14.6	Special precautions for us not necessary	ser		
14.7	Transport in bulk accordin not applicable	ng to Annex II of MARPOL	and the IBC Code	
SECT	ON 15: Regulatory Info	ormation		
15.1	Safety, health and enviror	nmental regulations/legisla	tion specific for the substance or mixture	e
15.2	Chemical safety assessme	ent		





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90205	Spec. ind. pH 0.5-5.5, reel	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

