

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Nickel test paper Page: 1/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

REF 90730

Product name Nickel test paper

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 200 strips test paper

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: msds@mn-net.com

#### 1.4 **Emergency telephone number**

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/MSDS

#### **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

#### 200 strips test paper

Directive 1999/45/EC

Symbols do not need labelling as hazardous

CLP Directive 1272/2008/EC

GHS pictograms do not need labelling as hazardous

Signal word

No hazard class

#### 2.2 Label elements

# 200 strips test paper

Directive 1999/45/EC Symbols:

www.mn-net.com

US:

(MN) EN ISO 9001: 2008 CERTIFIED MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90730 Nickel test paper Page: 2/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

CLP Directive 1272/2008/EC

GHS pictograms:

do not need labelling as hazardous

Signal word: -

#### 2.3 Other hazards

#### Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

---

Information pertaining to particular Risks to the Environment

---

Other Hazards

---

# SECTION 3: Composition/Information on Ingredients

#### 3.1 Substances or 3.2 Mixtures

200 strips test paper

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

Concentration: 80 - < 100 %Formula:  $(C_6 H_{10} O_5)_n$ REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9RTECS: FJ5691460 TSCA Inventory: listed KE No.: KE-05339

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

Concentration: 0,1 - <1 %
TSCA Inventory: all <1%
Isted

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

#### 3.3 Remarks

- - -

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

4.1.2 After EYE Contact

Not necessary. Rub dust with teardrops from eyes

4.1.3 After INHALATION of Vapours

Not necessary. After inhalation of dust fresh air should be inhaled.

**4.1.4** After ORAL Intake Not necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Avoid inhalation of dust. ---

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90730 Nickel test paper Page: 3/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

# 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

# 5.2 Special hazards arising from the substance or mixture

None.

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### 5.4 Additional Information

---

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Not necessary.

#### 6.2 Environmental precautions

not necessary

## 6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

#### 6.4 Reference to other sections

---

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

## 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11

Water hazard class (DE):

1

#### 7.2.1 Requirements for Stock Rooms and Containers

Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

200 strips test paper

Chemical: filter paper (cellulose CAS 9004-34-6)

TRGS 900 (DE): 1.25 A / 4 E mg/m³ E/e respirable

SUVA(CH) MAK value: 3 a mg/m³ not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

www.mn-net.com

CAS No .: -

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

# **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 90730
 Nickel test paper
 Page: 4/6

 Printing date: 09.05.2017
 Date of issue: 28.03.2017

8.2 Exposure controls

Not necessary.

8.2.1 Respiratory Protection

Not necessary.

8.2.2 Hand Protection

Not necessary.

8.2.3 Eye Protection

Not necessary.

8.2.4 Skin Protection

Not necessary.

8.2.5 Personal Hygiene

Information not necessary.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

200 strips test paper

Appearance: solid Colour: colored Odor: odorless

9.2 Other information

Relevant Properties of Substance Group

---

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

None

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

---

10.5 Incompatible materials

Not necessary. Avoid contact with concentrated acids and oxidizing agents.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

not listed

US:

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances.

# 200 strips test paper

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes Japan CSCL/PRTR: not listed

Japan PDSCL: not listed Japan ISHL:
South Korea TCCA: not listed
Korea Eviet Chem Inventory: KE-05339

Korea Exist.Chem.Inventory: KE-05339 LD50<sub>orl rat</sub>: >5000 mg/kg LC50<sub>ihl rat</sub>: >58004<sub>h</sub> mg/m³ LD50<sub>drm rbt</sub>: >2000 mg/kg

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90730 Nickel test paper Page: 5/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

TSCA Inventory: all <1% Korea Exist.Chem.Inventory: listed

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Following information is valid for pure substances.

200 strips test paper

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

Water hazard class (DE): 1
Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

14.5 Environmental hazards

not necessary

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# **SECTION 15: Regulatory Information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

--

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

# **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 90730
 Nickel test paper
 Page: 6/6

 Printing date: 09.05.2017
 Date of issue: 28.03.2017

#### **SECTION 16: Other Information**

#### 16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
  16.1.2 List of relevant H phrases
  16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

#### 16.3 Recommended Restriction on Use

None

#### 16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

#### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGEL

MN

EN ISO 9001: 2008
CERTIFIED

www.mn-net.com

US:

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984
Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272
E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com