MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90750	Fluoride test paper	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	90750	
	Product name	Fluoride test paper	
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration.	
		1 x 200 strips test paper	
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16.	
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co.	-	
	Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0		
1.4	Emergency telephone numbe Information not necessary.	r	
	You find our current versions of SDS (22 lar	nguages) in Internet: http://www.mn-net.com/MSDS	
SECTI	ON 2: Hazard identificatio	n	
2.1	Classification of the substance	e or mixture	
	200 strips test paper		
	Directive 1999/45/EC		
	Symbols	- do not need labelling as hazardous	
	CLP Directive 1272/2008/EC		
	GHS pictograms Signal word	do not need labelling as hazardous -	
	No hazard class		
2.2	Label elements		
	200 strips test paper		
	Directive 1999/45/EC Symbols: - -		

www.mn-net.com



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90750	Fluoride test paper	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

200 strips test paper filter paper (cellulose CAS 9004-34-6) CAS No .: -Chemical: Concentration: 80 - <100 % (C₆ H₁₀ O₅)_n Formula: REACH Reg. No.: exempt, Annex IV EC No .: 232-674-9 FJ5691460 RTECS: **TSCA** Inventory: listed KE-05339 KF No . acc. 1999/45/EC: acc. CLP (GHS): not necessarv Chemical: chemicals/mixture < 1%, no declaration necessary CAS No .: -Concentration: 0,1 - <1 % TSCA Inventory: all <1% listed KE No.: acc. 1999/45/EC: acc. CLP (GHS): not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures Place insured person out of danger zone to fresh air immediately. After SKIN Contact 4.1.1 Not necessary. Remove dust with wetted tissue. After EYE Contact 4.1.2 Not necessary. Rub dust with teardrops from eyes After INHALATION of Vapours 4.1.3 Not necessary. After inhalation of dust fresh air should be inhaled. After ORAL Intake 4.1.4 Not necessary

4.2 Most important symptoms and effects, both acute and delayed Avoid inhalation of dust. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90750	Fluoride test paper	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): 1
- 7.2.1 Requirements for Stock Rooms and Containers Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

200 strips test paper		
Chemical: filter pape	er (cellulose CAS 9004-34-6)	CAS No.: -
TRGS 900 (DE):	1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK value: NIOSH:	3 a mg/m³ not listed	
	d average to a reference period of 8 hours, [STEL] Short-term exp	posure limit related to a 15-minute period
OSHA:	not listed	
Chemical: chemicals	s/mixture < 1%, no declaration necessary	CAS No.: -



Version: 2.4.3

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-fr@mn-net.com
 E-mail:
 sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		Fluoride test paper	Page: 4
Printing	g date: 09.05.2017	Date of issue: 28.03.20	017
8.2	Exposure controls Not necessary.		
.2.1	Respiratory Protection Not necessary.		
.2.2	Hand Protection Not necessary.		
.2.3	Eye Protection Not necessary.		
.2.4	Skin Protection Not necessary.		
.2.5	Personal Hygiene Information not necessary.		
3EC1	ION 9: Physical and che	mical properties	
.1	Information on basic phys	ical and chemical properties	s
	200 strips test paper Appearance: solid	Colour: colored	Odor: odorless
.2	Other information Relevant Properties of Substance	e Group	
SECT	 FION 10: Stability and rea	activity	
0.1	Reactivity None		
0.2	Chemical stability No known instability.		
0.3	Possibility of hazardous re None.	actions	
0.4	Conditions to avoid		
0.5	Incompatible materials	concentrated acids and oxidizing age	ents.
0.6	Hazardous decomposition	products eagents are safety and separated sto	ored. Decompositions are not observed during the expiration
SECT	ION 11: Toxicological in	formation	
1.1	Information on toxicological effects Following information is valid for pure substances.		
	200 strips test paper		
	Chemical: filter pap TSCA Inventory: li Australia NICNAS: n		CAS No.: - osition 65 List: not listed a CEPA 1999: DSL yes
	Japan PDSCL: n	ot listed Japan IS ot listed	SHL: not listed



LD50orl rat :

LC50ihl rat :

LD50_{drm rbt} :

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

>5000 mg/kg

>2000 mg/kg

>58004h mg/m3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		Fluoride test paper	Page: 5/
Printing	g date: 09.05.2017	Date of issue: 28.03.2017	
		s/mixture < 1%, no declaration necessary I <1% sted	CAS No.: -
SECT	ION 12: Ecological infor	mation	
12.1	Toxicity Following information is valid for	pure substances.	
	200 strips test paper Chemical: filter Water hazard class (DE): Storage class (VCI):	paper (cellulose CAS 9004-34-6) nwg 11	CAS No.: -
	Chemical: chen Water hazard class (DE): Storage class (VCI):	nicals/mixture < 1%, no declaration necessary 1 12-13	CAS No.: -
12.2	Persistence and degradabi not necessary	lity	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB a no data available	ssessment	
12.6	Other adverse effects no additional data available		
	TION 13: Disposal consid	erations	
13.1	Waste treatment methods	ipal waste, empty liquids diluted into drains.	
SECT	ION 14: Transport inform		
	4.1 - 14.4 Not necessary	nation	
14.5	Environmental hazards		
14.6	Special precautions for use not necessary	er	
14.7	,	g to Annex II of MARPOL and the IBC	Code
SECT	ION 15: Regulatory Info	rmation	
15.1	Safety, health and environ	nental regulations/legislation specific	; for the substance or mixture
15.2	Chemical safety assessme	net.	



DE and international: CH:

Tel.: +49 24 21 969-0

Fax: +49 24 21 969-199

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Fax: +41 62 388 55 05 Fax: +33 388 51 76 88

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90750	Fluoride test paper	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com