MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90763	Sulfite test paper	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name	90763 Sulfite test paper
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration.
		1 x 200 strips test paper
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 itegrated into sections 1-16.
1.3	Details of the supplier of the s	safety data sheet
	Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	nguages) in Internet: http://www.mn-net.com/MSDS
SECTI	ON 2: Hazard identificatio	n
2.1	Classification of the substance	ce or mixture
	200 strips test paper	
	Directive 1999/45/EC	
	Symbols	do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	200 strips test paper	
	Directive 1999/45/EC Symbols: - -	



MACHEREY-NAGEL

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90763	Sulfite test paper	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

Other hazards 2.3

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

20

00 strip	os test paper			
	Chemical: filter pa	aper (cellulose CAS 9004-34-6)		CAS No.: -
	Concentration:	80 - <100 %		
	Formula:	(C ₆ H ₁₀ O ₅) _n		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: chemic	als/mixture < 1%, no declaration nec	essary	CAS No.: -
	Concentration:	0,1 - <1 %	-	
	TSCA Inventory:	all <1%		
	KE No.:	listed		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

3.3 Remarks

SECTION 4: First aid measures

4.1 Description of first aid measures Place insured person out of danger zone to fresh air immediately. After SKIN Contact 4.1.1 Not necessary. Remove dust with wetted tissue. After EYE Contact 4.1.2 Not necessary. Rub dust with teardrops from eyes After INHALATION of Vapours 4.1.3 Not necessary. After inhalation of dust fresh air should be inhaled. 4.1.4 After ORAL Intake Not necessary.

4.2 Most important symptoms and effects, both acute and delayed Avoid inhalation of dust. ---



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90763	Sulfite test paper	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): 1
- 7.2.1 Requirements for Stock Rooms and Containers Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

200 strips test pa	per	
Chemical: filter	r paper (cellulose CAS 9004-34-6)	CAS No.: -
TRGS 900 (DE):	1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK v NIOSH:	not listed	
	veighted average to a reference period of 8 hours, [STEL] Short-te	erm exposure limit related to a 15-minute period
OSHA:	not listed	
Chemical: chei	micals/mixture < 1%, no declaration necessary	CAS No.: -



Version: 2.4.3

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	0763	Sulfite test paper		Page: 4/6
Printin	g date: 09.05.2017	Date of issue: 28.03.	.2017	
8.2	Exposure controls Not necessary.			
8.2.1	Respiratory Protection Not necessary.			
8.2.2	Hand Protection Not necessary.			
8.2.3	Eye Protection Not necessary.			
8.2.4	Skin Protection Not necessary.			
8.2.5	Personal Hygiene Information not necessary.			
SEC	ΓΙΟΝ 9: Physical and cher	mical properties		
9.1	Information on basic physic	cal and chemical properti	es	
	200 strips test paper Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substance	Group		
SEC ⁻	FION 10: Stability and rea	ctivity		
10.1	Reactivity	-		
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous rea	actions		
10.4	Conditions to avoid			
10.5	Incompatible materials Not necessary. Avoid contact with co	oncentrated acids and oxidizing aલ્	jents.	
10.6	Hazardous decomposition In the original package all parts/all re period under recommended condition	eagents are safety and separated s	stored. Decompositions are not observed during the	expiration
SEC	FION 11: Toxicological inf	formation		
11.1	Information on toxicologica Following information is valid for p			
	200 strips test paper			
	Chemical: filter paper TSCA Inventory: lisi Australia NICNAS: no Japan CSCL/PRTR: no	ot listed Canac ot listed	CAS No.: - position 65 List: not listed da CEPA 1999: DSL yes	
	•	ot listed Japan ot listed E-05339	ISHL: not listed	



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

Korea Exist.Chem.Inventory: KE-05339

>5000 mg/kg

>58004h mg/m3

>2000 mg/kg

LD50orl rat :

LC50ihl rat :

LD50_{drm rbt} :



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90763 Printing date: 09.05.2017		Sulfite test paper Date of issue: 28.03.2017	Page: 5/
		nixture < 1%, no declaration necessary <1% ed	CAS No.: -
SECT	ION 12: Ecological inform	nation	
12.1	Toxicity Following information is valid for p	ure substances.	
	200 strips test paper Chemical: filter p. Water hazard class (DE): Storage class (VCI):	aper (cellulose CAS 9004-34-6) nwg 11	CAS No.: -
	Chemical: chemic Water hazard class (DE): Storage class (VCI):	cals/mixture < 1%, no declaration necessary 1 12-13	CAS No.: -
12.2	Persistence and degradabili not necessary	ty	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB as no data available	sessment	
12.6	Other adverse effects no additional data available		
	TION 13: Disposal conside ot necessary.	erations	
13.1	Waste treatment methods GENERAL: Empty solids into municip	al waste, empty liquids diluted into drains.	
SECT	ION 14: Transport inform	ation	
14	4.1 - 14.4 Not necessary		
14.5	Environmental hazards not necessary		
14.6	Special precautions for user not necessary		
14.7	Transport in bulk according not applicable	to Annex II of MARPOL and the IBC	Code
SECT	ION 15: Regulatory Inform	nation	
15.1	Safety, health and environm	ental regulations/legislation specific	for the substance or mixture
15.2	Chemical safety assessmen	+	





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90763	Sulfite test paper	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU