MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91305	QUANTOFIX Nickel	Page: 1/6
Printing date: 28.03.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name REACH Registration number(s): A registration number for the subst the substance or its use is excluded	91305 QUANTOFIX Nickel see SECTION 3.1/3.2 or ance(s) does not exist because the annual tonnage does not require registration or d from registration.
		1 x 100 test strips
1.2	Relevant identified uses Product for analytical use. Exposure Scenario Classific The exposure scenario is int	e substance or mixture and uses advised against ation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 egrated into sections 1-16. iagnostic use (IVD) or Accessory for medical use
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. I Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone number Information not necessary.	
SECTI	ON 2: Hazard identification	n
2.1	Classification of the substanc	e or mixture
	100 test strips	
	Directive 1999/45/EC	
	Symbols	- do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	

100 test strips

Directive 1999/45/EC Symbols: -

> S 22 Do not breathe dust.

> > www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany ACHEREY-NAGE DE and international: CH: (MN) EN ISO 9001: 2008 CERTIFIED

FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 61 76 88

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91305	QUANTOFIX Nickel	Page: 2/6
Printing date: 28.03.2017	Date of issue: 28.03.2017	

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100 test strips Chemical: cellulo Concentration: Formula: REACH Reg. No.: EC No.: RTECS: TSCA Inventory:	1 - <10 % (C ₆ H ₁₀ O ₅) _n exempt, Annex IV 232-674-9 FJ5691460 listed		CAS No.: 9004-34-6
KE No.: acc. 1999/45/EC:	KE-05339 -	acc. CLP (GHS):	not necessary
Chemical: <i>chemi</i> Concentration: TSCA Inventory: KE No.:	cals/mixture < 1%, no declaration new 0,1 - <1 % all <1% listed	cessary	CAS No.: -
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Concentration:	oil (CAS 9002-86-2) 95 - <100 %		CAS No.: -
TSCA Inventory: acc. 1999/45/EC:	listed -	acc. CLP (GHS):	not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1	Description of first aid measures Place insured person out of danger zone to fresh air immediately.
4.1.1	After SKIN Contact Not necessary. Remove dust with wetted tissue.
4.1.2	After EYE Contact Not necessary. Rub dust with teardrops from eyes
4.1.3	After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be inhaled.
4.1.4	After ORAL Intake

www.mn-net.com

CHEREY-NAGE $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91305	QUANTOFIX Nickel	Page: 3/6
Printing date: 28.03.2017	Date of issue: 28.03.2017	

Not necessary.

- 4.2 Most important symptoms and effects, both acute and delayed Avoid inhalation of dust. -
- 4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None
- 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

Additional Information 5.4

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE):
- 7.2.1 **Requirements for Stock Rooms and Containers** Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s) Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

100 test strips

Chemical: cellulose TRGS 900 (DE): SUVA(CH) MAK value: NIOSH: OSHA:

Staub 1.25 A / 4 E mg/m³ E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m³ TWA 15 (total) / 5 (resp) mg/m³ CAS No.: 9004-34-6



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	91305 g date: 28.03.2017		QUANTOFIX Nickel Date of issue: 28.03.2017		Page: 4
	Chemical: cher	nicals/mixture < 1%, no	o declaration necessary	CAS No.: -	
	Chemical: PVC	foil (CAS 9002-86-2)		CAS No.: -	
8.2	Exposure control	S			
8.2.1	Respiratory Prote Not necessary.	ction			
8.2.2	Hand Protection Not necessary.				
8.2.3	Eye Protection Not necessary.				
8.2.4	Skin Protection Not necessary.				
8.2.5	Personal Hygiene				
SEC ⁻	TION 9: Physical a	and chemical j	properties		
9.1	-	-	chemical properties		
	100 test strips Appearance: solid		Color: colored	Odor: odorless	
9.2	Other information Relevant Properties of				
SEC	TION 10: Stability	and reactivity			
10.1	Reactivity				
10.2	Chemical stability	,			
10.3	Possibility of haza	ardous reactions			
10.4	Conditions to avo	id			
10.5	 Incompatible mate		d acids and oxidizing agents.		
10.6	Hazardous decom	position product all parts/all reagents ar	ts	d. Decompositions are not observed d	uring the expiration
SEC ⁻	TION 11: Toxicolo	gical informat	ion		
11.1	Information on to	-		the toxicity of this product are not ava	ilable
	100 test strips				
	Chemical: TSCA Inventory: Exposure Routes: Target Organs: Symptoms:	Eyes, skin, i	California Propositi kin and/or eye contact respiratory system s, skin, mucous membrane	CAS No.: 9004-34-6 on 65 List: not listed	5
	Australia NICNAS: Japan CSCL/PRTF	not listed		PA 1999: DSL yes	
	Japan PDSCL: South Korea TCCA	not listed	Japan ISHL	.: not listed	
		Hot listed			www.mn-net.co
NAGEL	MACHEREY-NAGEL GmbH	& Co. KG · Neumann-N	Neander-Str. 6–8 · 52355 Düre	n · Germany	
	DE and international:	CH:	FR:	US:	0004
2008	Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199	Tel.: +41 62 388 Fax: +41 62 388			0984

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

ACHERE

EN ISO 9001: 2008 CERTIFIED

E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91305 Printing date: 28.03.2017		QUANTOFIX Nickel Date of issue: 28.03.2017	Page: 5/0
	5		
	Korea Exist.Chem.Inve LD50 _{orl rat} : LC50 _{ihl rat} : LD50 _{drm rbt} :	ntory: KE-05339 >5000 mg/kg >5800 _{4h} mg/m³ >2000 mg/kg	
	Chemical: <i>cl</i> TSCA Inventory: Korea Exist.Chem.Inve	hemicals/mixture < 1%, no declaration necessary all <1% ntory: listed	CAS No.: -
	Chemical: P TSCA Inventory:	VC foil (CAS 9002-86-2) listed	CAS No.: -
SECT	ION 12: Ecological	information	
12.1	Toxicity Following information is v	alid for pure substances.	
	100 test strips Chemical: Water hazard class Storage class (VCI		CAS No.: 9004-34-6
	Chemical: Water hazard class Storage class (VCl		CAS No.: -
	Chemical:	PVC foil (CAS 9002-86-2)	CAS No.: -
12.2	Persistence and degr not necessary	radability	
12.3	Bioaccumulative potents not necessary	ential	
12.4	Mobility in soil not necessary		
12.5	Results of PBT and v no data available	PvB assessment	
12.6	Other adverse effects no additional data available	S	
SECI	ION 13: Disposal co	onsiderations	
Ν	lot necessary.		
13.1	Waste treatment met GENERAL: Empty solids int	hods o municipal waste, empty liquids diluted into drains.	
SECI	ION 14: Transport i	nformation	
	4.1 - 14.4 Not necessary		
14.5	Environmental hazar not necessary		
14.6	Special precautions f not necessary	for user	
14.7	-	cording to Annex II of MARPOL and the IE	3C Code

ACHEREY-NAGE **MN** EN ISO 9001: 2008 CERTIFIED

www.mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91305	QUANTOFIX Nickel	Page: 6/6
Printing date: 28.03.2017	Date of issue: 28.03.2017	

not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**
- Regular safety training.
- 16.3 **Recommended Restriction on Use** None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU. 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances) KÜHN. BIRETT

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

You find our current versions of MSDS in Internet: http://www.mn-net.com/MSDS

www.mn-net.com

REY-NAGE $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED