

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310	QUANTOFIX Zinc	Page: 1/9
Printing date: 17.03.2017	Date of issue: 28.02.2017	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 91310  
 Product name QUANTOFIX Zinc

REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 test strips  
 2 x 30 mL Zn<sup>2+</sup> -1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.  
 If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY  
 Tel.: +49 2421 969 0 E-mail: msds@mn-net.com

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product

**Directive 1999/45/EC**  
 Symbols



R  
 R 35

**CLP Directive 1272/2008/EC**  
 GHS pictograms



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Metal Corrosion cat. 1
H314	Skin Corrosion 1A. Serious Damage to Eyes 1

### 2.1 Classification of the substance or mixture

100 test strips  
 Directive 1999/45/EC

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310	QUANTOFIX Zinc	Page: 2/9
Printing date: 17.03.2017	Date of issue: 28.02.2017	

Symbols -  
do not need labelling as hazardous

*CLP Directive 1272/2008/EC*

GHS pictograms -  
do not need labelling as hazardous

Signal word -


No hazard class

### 30 mL Zn<sup>2+</sup> -1

*Directive 1999/45/EC*

Symbols R 35  
  
 C

*CLP Directive 1272/2008/EC*

GHS pictograms  
  
 GHS05

Signal word DANGER

**Hazard identification**

**Hazard classes/categories**

H290 Metal Corrosion cat. 1  
 H314 Skin Corrosion 1A. Serious Damage to Eyes 1

## 2.2 Label elements

According **CLP (GHS)** inner packages must be only labelled with symbol(s) and product identifier (EU 1272/2008 Annex I - 1.5.1.2).

### 100 test strips

*Directive 1999/45/EC*

Symbols:  
 -  
 -

S 22  
 Do not breathe dust.

*CLP Directive 1272/2008/EC*

GHS pictograms:  
 do not need labelling as hazardous

Signal word: -

### 30 mL Zn<sup>2+</sup> -1

*Directive 1999/45/EC*

Symbols:  
  
 C  
 R 35

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310

QUANTOFIX Zinc

Page: 3/9

Printing date: 17.03.2017

Date of issue: 28.02.2017

Causes severe burns.

S 26-37/39-45

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

CLP Directive 1272/2008/EC

GHS pictograms:



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/...

## 2.3 Other hazards

### Possible Hazards from physicochemical Properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

### Information pertaining to particular Risks to Human and possible Symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

### Information pertaining to particular Risks to the Environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### Other Hazards

---

## SECTION 3: Composition/Information on Ingredients

### 3.1 Substances or 3.2 Mixtures

#### 100 test strips

Chemical: *cellulose* CAS No.: 9004-34-6

Concentration: 1 - <10 %

Formula:  $(C_6 H_{10} O_5)_n$

REACH Reg. No.: exempt, Annex IV

EC No.: 232-674-9

RTECS: FJ5691460

TSCA Inventory: listed

KE No.: KE-05339

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

Chemical: *chemicals/mixture < 1%, no declaration necessary* CAS No.: -

Concentration: 0,1 - <1 %

KE No.: listed

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

Concentration: 95 - <100 %

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310

QUANTOFIX Zinc

Page: 4/9

Printing date: 17.03.2017

Date of issue: 28.02.2017

## 30 mL Zn<sup>2+</sup> -1

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

Concentration: 20 - <35 %

Formula: NaOH·H<sub>2</sub>O

Pseudonym: soda lye

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5

Indice No.: 011-002-00-6

RTECS: WB4900000

TSCA Inventory: listed

KE No.: KE-31487

acc. 1999/45/EC: R 35

acc. CLP (GHS): H290, H314

### 3.3 Remarks

List of R, H and P phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of Vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. After inhalation of dust fresh air should be inhaled.

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

Avoid inhalation of dust. ---

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310

QUANTOFIX Zinc

Page: 5/9

Printing date: 17.03.2017

Date of issue: 28.02.2017

## 5.4 Additional Information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

not necessary

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4 ---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 8B  
Water hazard class (DE): 1

### 7.2.1 Requirements for Stock Rooms and Containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 100 test strips

Chemical: *cellulose*  
TRGS 900 (DE):

Staub 1.25 A / 4 E mg/m<sup>3</sup>  
E/e respirable

CAS No.: 9004-34-6

SUVA(CH) MAK value:

3 a ppm

NIOSH:

TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>

OSHA:

TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

Chemical: *chemicals/mixture < 1%, no declaration necessary*

CAS No.: -

Chemical: *PVC foil (CAS 9002-86-2)*

CAS No.: -

#### 30 mL Zn<sup>2+</sup> -1

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

DNEL: 1<sub>inh</sub> mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): (2 E) mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: (=1=, Y)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m<sup>3</sup>

NIOSH:

2 mg/m<sup>3</sup>

OSHA:

TWA 2 mg/m<sup>3</sup>

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310

QUANTOFIX Zinc

Page: 6/9

Printing date: 17.03.2017

Date of issue: 28.02.2017

## 8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory Protection

No additional recommendations.

### 8.2.2 Hand Protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin Protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal Hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 100 test strips

Appearance: solid

Color: colored

Odor: odorless

#### 30 mL Zn<sup>2+</sup> -1

Appearance: liquid

Color: colourless

Odor: odorless

pH:

14

Specific gravity:

1,35 g/mL

Solubility in water:

0-100 %

### 9.2 Other information

Relevant Properties of Substance Group

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No known instability.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Not necessary. ---

### 10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents. Avoid contact with strong acids or alkalines.

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 100 test strips

Chemical:

cellulose

CAS No.: 9004-34-6

TSCA Inventory:

listed

California Proposition 65 List: not listed

Exposure Routes:

inhalation, skin and/or eye contact

Target Organs:

Eyes, skin, respiratory system

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310 QUANTOFIX Zinc Page: 7/9  
 Printing date: 17.03.2017 Date of issue: 28.02.2017

Symptoms: irritation eyes, skin, mucous membrane  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed  
 Japan PDSCL: not listed Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-05339  
 LD50<sub>orl rat</sub>: >5000 mg/kg  
 LC50<sub>ihl rat</sub>: >5800<sub>4h</sub> mg/m<sup>3</sup>  
 LD50<sub>drm rbt</sub>: >2000 mg/kg

Chemical: *chemicals/mixture < 1%, no declaration necessary* CAS No.: -  
 Korea Exist.Chem.Inventory: listed

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

## 30 mL Zn<sup>2+</sup> -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed  
 Japan PDSCL: not listed Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-31487  
 LD50<sub>orl rat</sub>: 500<sub>100%</sub> mg/kg  
 LD50<sub>orl mus</sub>: 40 mg/kg

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 100 test strips

Chemical: *cellulose* CAS No.: 9004-34-6  
 Water hazard class (DE): nwg  
 Storage class (VCI): 11

Chemical: *chemicals/mixture < 1%, no declaration necessary* CAS No.: -  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

#### 30 mL Zn<sup>2+</sup> -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 Avoid contact of substance/mixture to environment.  
 LC50<sub>leuciscus idus/96h</sub>: 35-189 mg/L  
 LC50<sub>fish/96h</sub>: 45.4 mg/L  
 EC50<sub>daphnia/48h</sub>: >100 mg/L  
 Water hazard class (DE): 1 WGK No.: 142  
 Storage class (VCI): 8 B

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310

QUANTOFIX Zinc

Page: 8/9

Printing date: 17.03.2017

Date of issue: 28.02.2017

not necessary

**12.4 Mobility in soil**

not necessary

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

**13.1 Waste treatment methods**

Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

**14.1. UN number: 3316 14.2. UN proper shipping name: Chemical Kit**

**14.3. Class: 9 14.4. Packing group: II**

*Road transport*

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative transport labelling

*Air transport*

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

*Maritime transport*

EmS: F-A, S-P Storage category: A

**Alternative transport labelling** follows:

UN No.: (see below) class 8 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \Sigma \leq 500 \text{ mL}$ ) = ADR/ IATA E2

or

**14.1 UN number: 3266 14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)**

**14.3 Class: 8 14.4 Packing group: II**

*Road transport*

Classification code: C5 Tunnel restriction code: E

Limited Quantity: 1 L

Excepted Quantity: E 2

*Air transport*

PAX: 851 max. weight PAX: 1 L

CAO: 855 max. weight CAO: 30 L

*Maritime transport*

EmS: F-A, S-B Storage category: B

**14.5 Environmental hazards**

not necessary

**14.6 Special precautions for user**

not necessary

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

## SECTION 15: Regulatory Information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013  
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC  
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011





# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91310	QUANTOFIX Zinc	Page: 9/9
Printing date: 17.03.2017	Date of issue: 28.02.2017	

**15.2 Chemical safety assessment**  
not necessary for these small amounts

**SECTION 16: Other Information**

**16.1 List of R, H and P phrases**

- 16.1.1 List of relevant R phrases**  
R35 Causes severe burns.
- 16.1.2 List of relevant H phrases**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- 16.1.3 List of relevant P phrases**  
P260sh Do not breathe dust/vapours.  
P280sh Wear protective gloves/eye protection.  
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor/...  
P390 Absorb spillage to prevent material damage.

**16.2 Training Advice**

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

**16.3 Recommended Restriction on Use**

Only for professional user.  
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or DE §§ 4 und 5 MuSchRiv)!  
An individual package of this product or test kit has a moderate hazardous potential.

**16.4 Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

**16.5 Sources of Key Data**

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS  
Regulation 487/2013/EU, 4<sup>th</sup> adaptation of CLP regulation to technical and scientific progress  
TRGS 900, German engineering rules governing limits in air at work, updated September 2016  
SUVA .CH, Limits in air at work 2009, revised on 01.2009  
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

**Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

You find our current versions of MSDS in Internet:  
<http://www.mn-net.com/MSDS>

