MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91351	QUANTOFIX Nitrate 100	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name REACH Registration number(s): A registration number for the subs the substance or its use is exclude	91351 QUANTOFIX Nitrate 100 see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration
		1 x 100 test strips
1.2	Relevant identified uses of the	e substance or mixture and uses advised against
1.2	Relevant identified uses Product for analytical use. Exposure Scenario Classific The exposure scenario is in	cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone number Information not necessary.	r
	You find our current versions of SDS (22 lan	guages) in Internet: http://www.mn-net.com/MSDS
SECTI	ON 2: Hazard identificatio	n
2.1	Classification of the substanc	e or mixture
	100 test strips	
	Directive 1999/45/EC	
	Symbols	- do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	100 test strips	
	Directive 1999/45/EC Symbols: -	



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91351	QUANTOFIX Nitrate 100	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	
6.00		

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100	test	stri	ps
-----	------	------	----

 Chemical: cellulos	se		CAS No.: 9004-34-6
Concentration:	1 - <10 %		
Formula:	(C ₆ H ₁₀ O ₅) _n		
REACH Reg. No.:	exempt, Annex IV		
EC No.:	232-674-9		
RTECS:	FJ5691460		
TSCA Inventory:	listed		
KE No.:	KE-05339		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Concentration: TSCA Inventory:	cals/mixture < 1%, no declaration nec 0,1 - <1 % all <1%	essary	CAS No.: -
KE No.: acc. 1999/45/EC:	listed -	acc. CLP (GHS):	not necessary
Concentration:	// (CAS 9002-86-2) 95 - <100 % ∣isted		CAS No.: -
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

4.1.2 After EYE Contact

Not necessary. Rub dust with teardrops from eyes



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91351		QUANTOFIX Nitrate 100	Page: 3/6
Printing date: 09.05.2017		Date of issue: 28.03.2017	
4.1.3	After INHALATION of Va Not necessary. After inhal	bours tion of dust fresh air should be inhaled.	
4.1.4	After ORAL Intake Not necessary.		
4.2	Most important sympto Avoid inhalation of dust	ms and effects, both acute and delayed	
4.3	Indication of any imme No additionally recommendation	diate medical attention and special treatm	ent needed
SEC	FION 5: Firefighting m	easures	
5.1		o the fire classification, and, if applicable, a fire blanket FOAM, WATER SPRAY, DRY POWDER, CARBON D	
5.2	Special hazards arising None.	from the substance or mixture	
5.3	Advice for firefighters No, for listed product. Product	backage burns like paper or plastic.	
5.4	Additional Information		
SEC	FION 6: Accidental rel	ease measures	
6.1	Personal precautions, Not necessary.	protective equipment and emergency proc	cedures
6.2	Environmental precaut not necessary	ons	
6.3	Methods and material f Clean working area with water.	or containment and cleaning up Flush used water into drains.	
6.4	Reference to other sec	ions	
SEC	ION 7: Handling and	storage	
7.1	Precautions for safe ha	ndling e test instruction, that comes with the product.	
7.2	Conditions for safe sto	rage, including any incompatibilities f MACHEREY-NAGEL allows a safe storage. 11 1	
7.2.1	Requirements for Stock Keep original product pack	Rooms and Containers ages tightly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use. If CE labelling: Product for in-vi	tro-diagnostic use (IVD) or Accessory for medical use	
SEC	ION 8: Exposure con	trols/personal protection	
8.1	Control parameters		
	100 test strips Chemical: <i>cellulose</i> TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³	CAS No.: 9004-34-6
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a	E/e respirable 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ verage to a reference period of 8 hours, [STEL] Short-term exposure I	limit related to a 15-minute period
	,	• • • • • • • • • • • • • • • • • • •	www.mn-net.com





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9 ²	1351		QUANTOFI	K Nitrate 100	Page: 4/6
Printing	date: 09.05.2017		Date of issue	28.03.2017	
	OSHA:		TWA 15 (total) / 5 (resp) mg	/m³	
	Chemical:	chemicals	/mixture < 1%, no declaration nec	cessary CA	AS No.: -
	Chemical:	PVC foil (0	CAS 9002-86-2)	CA	AS No.: -
8.2	Exposure co Not necessary.	ontrols			
8.2.1	Respiratory Not necessa	/ Protection ary.			
8.2.2	Hand Prote				
8.2.3	Eye Protec Not necessa	tion			
8.2.4	Skin Protect	tion			
8.2.5	Personal H Information	ygiene not necessa	ry.		
SECT	ION 9: Phys	ical and	chemical properties		
9.1	Information	on basic	physical and chemical pr	operties	
	100 test str Appearance		Colour: colored	Odor: odorless	
9.2	Other inform Relevant Prope		stance Group		
SECT	ION 10: Stal	oility and	d reactivity		
10.1	Reactivity	-	-		
10.2	Chemical sta No known instab	-			
10.3	Possibility o None.	f hazardo	us reactions		
10.4	Conditions t	o avoid			
10.5	Incompatible Not necessary. A		S t with concentrated acids and oxic	lizing agents.	
10.6	Hazardous d	lecompos ckage all pa	ition products rts/all reagents are safety and sep		re not observed during the expiration
SECT	ION 11: Tox	icologic	al information		
11.1			logical effects Ilid for pure substances. Quanti	tative data on the toxicity of this pr	roduct are not available.
	100 test strip				
	Chemical: TSCA Inver Exposure R Target Orga Symptoms: Australia NI	itory: outes: ins:	llulose listed Califo inhalation, skin and/or eye c Eyes, skin, respiratory syste irritation eyes, skin, mucous not listed	rnia Proposition 65 List: not listed ontact m	AS No.: 9004-34-6
	Australia NI	UNAO.		USL VER 1999. DOL VES	



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9			ANTOFIX Nitrate 100		Page: 5/6
Printing	g date: 09.05.2017	Date	e of issue: 28.03.2017		
	Japan CSCL/PRTR Japan PDSCL: South Korea TCCA Korea Exist.Chem.I LD50 _{orl rat} : LC50 _{ihl rat} : LD50 _{drm rbt} :	not listed	Japan ISHL:	not listed	
	Chemical: TSCA Inventory: Korea Exist.Chem.I	chemicals/mixture < 1%, nc all <1% nventory: listed	o declaration necessary	CAS No.: -	
	Chemical: TSCA Inventory:	PVC foil (CAS 9002-86-2) listed		CAS No.: -	
SECT	ION 12: Ecologic	al information			
12.1	Toxicity				
	-	is valid for pure substances	S.		
	100 test strips Chemical: Water hazard o Storage class (CAS No.: 9004-34-6	
	Chemical: Water hazard o Storage class (class (DE): 1	%, no declaration necessary	CAS No.: -	
	Chemical:	PVC foil (CAS 9002-86	5-2)	CAS No.: -	
12.2	Persistence and d	egradability			
12.3	Bioaccumulative p not necessary	potential			
12.4	Mobility in soil not necessary				
12.5	no data available	d vPvB assessment			
12.6	Other adverse effe no additional data availa				
	TION 13: Disposal	considerations			
13.1	lot necessary. Waste treatment n GENERAL: Empty solid:	nethods s into municipal waste, empty	liquids diluted into drains.		
SECT	ION 14: Transpo	rt information			
	4.1 - 14.4 Not necessary				
14.5	Environmental ha	zards			
	•				

14.6 Special precautions for user



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91351	QUANTOFIX Nitrate 100	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1
- 15.2 **Chemical safety assessment**

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

