MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92131	pH-Fix 3.6-6.1 PT	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name REACH Registration number(s): A registration number for the subs the substance or its use is exclude	92131 pH-Fix 3.6-6.1 PT see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or d from registration.
		1 x 100 Indicator sticks
1.2	Relevant identified uses Product for analytical use. Exposure Scenario Classific The exposure scenario is in	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone number Information not necessary.	r
	You find our current versions of SDS (22 lan	guages) in Internet: http://www.mn-net.com/MSDS
0507		
-	ON 2: Hazard identificatio	
2.1	Classification of the substanc	e or mixture
	100 Indicator sticks	
	Directive 1999/45/EC	-
	Symbols	do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	100 Indicator sticks	
	Directive 1999/45/EC Symbols: -	

MACHEREY-NAGEL

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92131	pH-Fix 3.6-6.1 PT	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	
S 22		

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

10

SECTION 3: Composition/Information on Ingredients

Substances or 3.2 Mixtures 3.1

00 Indi	cator sticks			
	Chemical: cellulos	se		CAS No.: 9004-34-6
	Concentration:	1 - <10 %		
	Formula:	(C ₆ H ₁₀ O ₅)n		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: indicat	or dye(s)		CAS No.: -
	Concentration:	0,01 - <0,1 %		
	TSCA Inventory:	all <1%		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: PVC for	oil (CAS 9002-86-2)		CAS No.: -
	Concentration:	95 - <100 %		
	TSCA Inventory:	listed		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

4.1.2 After EYE Contact Not necessary. Rub dust with teardrops from eyes

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: US: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92 Printing	2131 date: 09.05.2017	pH-Fix 3.6-6.1 PT Date of issue: 28.03.2017	Page: 3/6
4.1.3	After INHALATION of Va Not necessary. After inhal	oours tion of dust fresh air should be inhaled.	
4.1.4	After ORAL Intake Not necessary.		
4.2	Most important sympto Avoid inhalation of dust	ms and effects, both acute and delayed	
4.3	Indication of any immed No additionally recommendation	diate medical attention and special treatment needed ns	I
SECT	ION 5: Firefighting m	easures	
5.1		o the fire classification, and, if applicable, a fire blanket must be availa FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be	
5.2	Special hazards arising None.	from the substance or mixture	
5.3	Advice for firefighters No, for listed product. Product	ackage burns like paper or plastic.	
5.4	Additional Information		
SECT	ION 6: Accidental rel	ease measures	
6.1	Personal precautions, p Not necessary.	protective equipment and emergency procedures	
6.2	Environmental precaut	ons	
6.3	Methods and material for Clean working area with water.	or containment and cleaning up Flush used water into drains.	
6.4	Reference to other sect	ions	
SECT	ION 7: Handling and	storage	
7.1	Precautions for safe ha Handling in accordance with th	ndling e test instruction, that comes with the product.	
7.2	Conditions for safe sto	rage, including any incompatibilities MACHEREY-NAGEL allows a safe storage. 11 nwg	
7.2.1	Requirements for Stock Keep original product pack	Rooms and Containers ages tightly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use. If CE labelling: Product for in-vi	ro-diagnostic use (IVD) or Accessory for medical use	
SECT	ION 8: Exposure con	rols/personal protection	
8.1	Control parameters		
	100 Indicator sticks Chemical: <i>cellulose</i> TRGS 900 (DE):	CAS No E/e respirable	o.: 9004-34-6
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ erage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15	-minute period



Version: 2.4.3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68
 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92	2131		pH-Fix 3.6-6.1 PT		Page: 4/6
Printing	date: 09.05.2017		Date of issue: 28.0		5
	OSHA:		TWA 15 (total) / 5 (resp) mg/m³		
	Chemical:	indicator dye	(s)	CAS No.: -	
	Chemical:	PVC foil (CA	S 9002-86-2)	CAS No.: -	
8.2	Exposure co Not necessary.	ontrols			
8.2.1	Respiratory Not necessa	y Protection ary.			
8.2.2	Hand Prote Not necessa				
8.2.3	Eye Protec Not necessa				
8.2.4	Skin Protect Not necessa				
8.2.5	Personal H Information	l ygiene not necessary.			
SECT	ION 9: Phys	ical and c	hemical properties		
9.1	Information	on basic ph	ysical and chemical proper	rties	
	100 Indicat Appearance		Colour: colored	Odor: odorless	
9.2	Other inform Relevant Prope		ince Group		
SECT	ION 10: Stat	bility and	reactivity		
10.1	Reactivity	-	-		
10.2	Chemical sta No known instab	-			
10.3	Possibility o		s reactions		
10.4	Conditions t	o avoid			
10.5	Incompatible		ith concentrated acids and oxidizing	aganta	
10.6	Hazardous d	lecompositi ackage all parts/	on products all reagents are safety and separate	d stored. Decompositions are not observed o	luring the expiration
SECT	ION 11: Tox	icological	information		
11.1	Information Following inform		gical effects for pure substances.		
	100 Indicato		-		
	Chemical: TSCA Inver Exposure R Target Orga Symptoms: Australia NI	toutes: ans:	listed California F inhalation, skin and/or eye contac Eyes, skin, respiratory system irritation eyes, skin, mucous mem		6
				GGG GELLINIUGU, DUL VUG	



DE and international:

Tel.: +49 24 21 969-0

Fax: +49 24 21 969-199

E-mail: info@mn-net.com

CH:

Tel.: +41 62 388 55 00

Fax: +41 62 388 55 05

FR: US: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		pH-Fix 3.			Page: 5/6
Printing date: 09.05.2017		Date of is	Date of issue: 28.03.2017		
	Japan CSCL/PRTR: not liste Japan PDSCL: not liste South Korea TCCA: not liste Korea Exist.Chem.Inventory: KE-053 LD50 _{ofl} rat : >5000 n LC50 _{ihl} rat : >58004 LD50 _{drm rbt} : >2000 n	d d 39 ng/kg nmg/m ³	Japan ISHL:	not listed	
	Chemical: indicator dye(s) TSCA Inventory: all <1%			CAS No.: -	
	Chemical: PVC foil (CAS 9 TSCA Inventory: listed	0002-86-2)		CAS No.: -	
SECT	[ION 12: Ecological informati	ion			
12.1	Toxicity Following information is valid for pure s	substances.			
	100 Indicator sticks Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg 11		CAS No.: 9004-34-6	
	Chemical: <i>indicator dy</i> Storage class (VCI):	<i>re(s)</i> 12-13		CAS No.: -	
	Chemical: PVC foil (C	AS 9002-86-2)		CAS No.: -	
12.2	Persistence and degradability not necessary				
12.3	Bioaccumulative potential not necessary				
12.4	Mobility in soil not necessary				
12.5	Results of PBT and vPvB asses no data available	sment			
12.6	Other adverse effects no additional data available				
	FION 13: Disposal considerat lot necessary.	ions			
13.1	Waste treatment methods GENERAL: Empty solids into municipal wa	aste, empty liquid	s diluted into drains.		
SECT	ION 14: Transport information	on			
	4.1 - 14.4 Not necessary				
14.5	Environmental hazards not necessary				
146	Special proceptions for user				

14.6 Special precautions for user not necessary

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

 Tel.: +33 388 68 22 68 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 92131	pH-Fix 3.6-6.1 PT	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory Information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

SECTION 16: Other Information

- 16.1 List of R, H and P phrases
- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 Recommended Restriction on Use None

16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

