MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90206	Spec. ind. pH 3.8-5.8, reel	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF Product name	90206 Spec. ind. pH 3.8-5.8, reel
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration.
		1 x 5 m reel indicator paper
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16.
1.3	Details of the supplier of the s	safety data sheet
	Manufactured by: MACHEREY-NAGEL GmbH & Co.	KG
	Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	Dueren, GERMANY E-mail: msds@mn-net.com
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	guages) in Internet: http://www.mn-net.com/MSDS
SECT	ION 2: Hazard identificatio	n
2.1	Classification of the substance	
2.1	5 m reel indicator paper	
	Directive 1999/45/EC	
	Symbols	- do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	5 m reel indicator paper	
	<i>Directive 1999/45/EC</i> Symbols: - -	

S 22



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

Version: 2.4.3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90206	Spec. ind. pH 3.8-5.8, reel	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous

Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

5 m reel indicator paper

0 111 100	i malcator paper			
	Chemical: cellulo	se		CAS No.: 9004-34-6
	Concentration:	90 - <100 %		
	Formula:	(C ₆ H ₁₀ O ₅) _n		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: indicat	or dye(s)		CAS No.: -
	Concentration:	0,1 - <1 %		
	TSCA Inventory:	all <1%		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

inhaled.

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1	After SKIN Contact Not necessary. Remove dust with wetted tissue.
4.1.2	After EYE Contact Not necessary. Rub dust with teardrops from eyes
4.1.3	After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be
4.1.4	After ORAL Intake Not necessary.

4.2 Most important symptoms and effects, both acute and delayed

REY-NAGE $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED

Version: 2.4.3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com

www.mn-net.com

US:

Tel.: +1 484 821 0984

Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90206	Spec. ind. pH 3.8-5.8, reel	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 Environmental precautions not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): nwg
- 7.2.1 Requirements for Stock Rooms and Containers Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

5 m reel indicator paper Chemical: <i>cellulose</i>		CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted aver	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ age to a reference period of 8 hours, [STEL] Short-term exposure limit rela	ited to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	

Chemical: *indicator dye(s)*

CAS No.: -

www.mn-net.com

MACHEREY-NAGEL

 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-fr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	0206 g date: 09.05.2017	Spec. ind. pH 3.8-5 Date of issue: 28.03		Page: 4/6
8.2	Exposure controls			
	Not necessary.			
3.2.1	Respiratory Protection Not necessary.			
3.2.2	Hand Protection Not necessary.			
3.2.3	Eye Protection Not necessary.			
3.2.4	Skin Protection Not necessary.			
3.2.5	Personal Hygiene Information not necessary.			
SECI	FION 9: Physical and ch	emical properties		
9.1	Information on basic phys	sical and chemical propert	ies	
	5 m reel indicator paper Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substanc	e Group		
SECI	ΓΙΟΝ 10: Stability and re	activity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous rong None.	eactions		
10.4	Conditions to avoid			
10.5	Incompatible materials Not necessary. Avoid contact with	concentrated acids and oxidizing a	gents.	
10.6	Hazardous decomposition In the original package all parts/all period under recommended condit	reagents are safety and separated	stored. Decompositions are not observed	during the expiration
SECI	ΓΙΟΝ 11: Toxicological in	nformation		
11.1	Information on toxicologic Following information is valid fo			
	5 m reel indicator paper			
	- ,		CAS No.: 9004-34 oposition 65 List: not listed	-6
	Target Organs: Symptoms:	Eyes, skin, respiratory system irritation eyes, skin, mucous memb	rane	
	Australia NICNAS:	not listed Cana	da CEPA 1999: DSL yes	
	Japan PDSCL:		n ISHL: not listed	
	South Korea TCCA: Korea Exist.Chem.Inventory: I	not listed KE-05339		
	LD50 _{orl rat} :	>5000 mg/kg		
		>5800 _{4h} mg/m³ >2000 mg/kg		



 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



arding to Degulations 1007/2006/EC (DEACh) and 2015/830/EL

REF: 90206 Printing date: 09.05.2017		Spec. ind. pH 3.8-5.8	· · · · · · · · · · · · · · · · · · ·
Printing	dale. 09.05.2017	Date of issue: 28.03.2	2017
	Chemical: indicat TSCA Inventory:	tor dye(s) all <1%	CAS No.: -
SECT	ON 12: Ecological inf	ormation	
12.1	Toxicity Following information is valid t	for pure substances.	
	5 m reel indicator paper Chemical: ce Water hazard class (DE Storage class (VCI):	ellulose E): nwg 11	CAS No.: 9004-34-6
	Chemical: in Storage class (VCI):	dicator dye(s) 12-13	CAS No.: -
12.2	Persistence and degrada	ability	
12.3	Bioaccumulative potenti not necessary	al	
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvE no data available	3 assessment	
12.6	Other adverse effects no additional data available		
	ON 13: Disposal cons	iderations	
13.1	Waste treatment method	is Inicipal waste, empty liquids diluted inte	o drains.
SECT	ON 14: Transport info	ormation	
14	.1 - 14.4 Not necessary		
14.5	Environmental hazards not necessary		
14.6	Special precautions for unot necessary	Jser	
14.7	Transport in bulk accord not applicable	ling to Annex II of MARPOL a	Ind the IBC Code
SECT	ON 15: Regulatory Inf	ormation	
15.1	Safety, health and enviro	onmental regulations/legislat	ion specific for the substance or mixture
15.2	Chemical safety assessr	nent	





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90206	Spec. ind. pH 3.8-5.8, reel	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

