# **MACHEREY-NAGEL**



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90209	Spec. ind. pH 5.5-9.0, reel	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF Product name	90209 Spec. ind. pH 5.5-9.0, reel
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not exist because the annual tonnage does not require registration or ed from registration.
		1 x 5 m reel indicator paper
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	guages) in Internet: http://www.mn-net.com/MSDS
SECT	ION 2: Hazard identificatio	n
2.1	Classification of the substance	
	5 m reel indicator paper	
	Directive 1999/45/EC	
	Symbols	- do not need labelling as hazardous
	CLP Directive 1272/2008/EC	
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	5 m reel indicator paper	
	Directive 1999/45/EC Symbols: - -	

S 22



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

Version: 2.4.3



### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90209	Spec. ind. pH 5.5-9.0, reel	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous

Signal word: -

#### 2.3 Other hazards

### **Possible Hazards from physicochemical Properties**

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

### Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

**Other Hazards** 

## SECTION 3: Composition/Information on Ingredients

#### 3.1 Substances or 3.2 Mixtures

### 5 m reel indicator paper

111100	i malcator paper			
	Chemical: cellulo	se		CAS No.: 9004-34-6
	Concentration:	90 - <100 %		
	Formula:	(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: indica	tor dye(s)		CAS No.: -
	Concentration:	0,1 - <1 %		
	TSCA Inventory:	all <1%		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

#### 3.3 Remarks

- - -

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1	After SKIN Contact Not necessary. Remove dust with wetted tissue.
4.1.2	After EYE Contact Not necessary. Rub dust with teardrops from eyes
4.1.3	After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be inhaled.
4.1.4	After ORAL Intake Not necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90209	Spec. ind. pH 5.5-9.0, reel	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional Information

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): nwg
- 7.2.1 **Requirements for Stock Rooms and Containers** Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific end use(s)

Product for analytical use.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

5 m reel indicator paper Chemical: <i>cellulose</i>		CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted aver	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit r	related to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	
Chemical: indicator dve(s	5)	CAS No.: -

indicator dye(s) Chemical:

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany CHEREY-NAGE US: DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 EN ISO 9001: 2008 CERTIFIED Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

 $\langle MN \rangle$ 



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9 Printing	0209 g date: 09.05.2017	Spec. ind. pH 5.5-9 Date of issue: 28.0		Page: 4/6
8.2	Exposure controls			
	Not necessary.			
8.2.1	Respiratory Protection Not necessary.			
3.2.2	Hand Protection Not necessary.			
3.2.3	Eye Protection Not necessary.			
3.2.4	Skin Protection Not necessary.			
3.2.5	<b>Personal Hygiene</b> Information not necessary.			
SECT	[ION 9: Physical and ch	emical properties		
<b>ə</b> .1	Information on basic phys	sical and chemical proper	ties	
	5 m reel indicator paper Appearance: solid	Colour: colored	Odor: odorless	
9.2	Other information Relevant Properties of Substand	ce Group		
SECI	FION 10: Stability and re	activity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous r None.	eactions		
10.4	Conditions to avoid			
10.5	Incompatible materials			
	Not necessary. Avoid contact with	concentrated acids and oxidizing a	igents.	
10.6	Hazardous decomposition In the original package all parts/all period under recommended condit	reagents are safety and separated	I stored. Decompositions are not observe	d during the expiration
SECT	ION 11: Toxicological i	nformation		
11.1	Information on toxicologic Following information is valid for	cal effects		
	5 m reel indicator paper			
	Chemical: cellulose TSCA Inventory:		-CAS No.: 9004 oposition 65 List: not listed	34-6
	Exposure Routes:	inhalation, skin and/or eye contact	oposition of List. not listed	
		Eyes, skin, respiratory system irritation eyes, skin, mucous memb	brane	
	Australia NICNAS:	not listed Cana	ada CEPA 1999: DSL yes	
	•	not listed Japa	n ISHL: not listed	
	South Korea TCCA:	not listed		
	Korea Exist.Chem.Inventory: LD50 <sub>orl rat</sub> :	KE-05339 >5000 mg/kg		
	LC50 <sub>ihl rat</sub> :	>5800 <sub>4h</sub> mg/m <sup>3</sup>		
	LD50 <sub>drm rbt</sub> :	>2000 mg/kg		



 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272



# arding to Degulations 1007/2006/EC (DEACh) and 2015/830/EL

Drint's	209 dete: 00.05.2017	Spec. ind. pH 5.5-9 Date of issue: 28.0		Page: 5/6
Printing	date: 09.05.2017	Date of Issue: 28.0	3.2017	
	Chemical: indicator of TSCA Inventory: al	dye(s) I <1%	CAS No.: -	
SECT	ION 12: Ecological infor	mation		
12.1	Toxicity Following information is valid for	pure substances.		
	5 m reel indicator paper Chemical: <i>cellul</i> Water hazard class (DE): Storage class (VCI):	lose nwg 11	CAS No.: 9004-34-6	
	Chemical: indica Storage class (VCI):	ator dye(s) 12-13	CAS No.: -	
12.2	Persistence and degradabi not necessary	lity		
12.3	Bioaccumulative potential not necessary			
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB a no data available	ssessment		
12.6	Other adverse effects no additional data available			
	ION 13: Disposal consid	erations		
13.1	Waste treatment methods GENERAL: Empty solids into munici	ipal waste, empty liquids diluted i	nto drains.	
SECT	ION 14: Transport inforn	nation		
14	.1 - 14.4 Not necessary			
14.5	Environmental hazards not necessary			
14.6	Special precautions for use not necessary	ər		
14.7	Transport in bulk according	g to Annex II of MARPOL	and the IBC Code	
SECT	ION 15: Regulatory Infor	rmation		
15.1	Safety, health and environr	nental regulations/legisla	ation specific for the substance or mixtur	e
15.2	Chemical safety assessme	nt		





## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90209	Spec. ind. pH 5.5-9.0, reel	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

### **SECTION 16: Other Information**

#### 16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

#### 16.3 **Recommended Restriction on Use**

### None

#### 16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com