MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230	Spec. ind. pH 6.4-8.0, reel, refill	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	REF Draduat name	
	Product name	Spec. ind. pH 6.4-8.0, reel, refill
	REACH Registration number(s): A registration number for the sub the substance or its use is exclude	see SECTION 3.1/3.2 or stance(s) does not exist because the annual tonnage does not require registration or led from registration.
		3 x 5 m reels indicator paper (refill)
1.2	Relevant identified uses of th Relevant identified uses	e substance or mixture and uses advised against
	Product for analytical use.	
		ication according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 ntegrated into sections 1-16.
	Uses advised against not described	
1.3	Details of the supplier of the	safety data sheet
	Manufactured by:	-
	MACHEREY-NAGEL GmbH & Co Neumann-Neander-Str. 6-8, 5235	
	Tel.: +49 2421 969 0	E-mail: msds@mn-net.com
1.4	Emergency telephone number Information not necessary.	9 r
	mormation not necessary.	
	Value final and an annual manipus of CDC (00 la	
	You find our current versions of SDS (22 la	inguages) in Internet: http://www.mn-net.com/MSDS
SECT		
-	ION 2: Hazard identification	on
SECT 2.1		on
-	ION 2: Hazard identification	on
-	ION 2: Hazard identification Classification of the substan	on
-	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill)	on
-	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill) Directive 1999/45/EC	on ce or mixture
-	ION 2: Hazard identification Classification of the substant 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols	on ce or mixture
-	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms	DN ce or mixture - do not need labelling as hazardous
-	ION 2: Hazard identification Classification of the substance 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word	DN ce or mixture - do not need labelling as hazardous
2.1	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word No hazard class	DN ce or mixture - do not need labelling as hazardous
2.1	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word No hazard class	ON ce or mixture - do not need labelling as hazardous -
2.1	ION 2: Hazard identification Classification of the substand 5 m reels indicator paper (refill) Directive 1999/45/EC Symbols CLP Directive 1272/2008/EC GHS pictograms Signal word No hazard class Label elements	ON ce or mixture - do not need labelling as hazardous -

S 22



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com

Version: 2.4.3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230 Spec. ind. pH 6.4-8.0, reel, refill Page: 2/6 Date of issue: 28.03.2017 Printing date: 09.05.2017

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms: do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

5 m reels indicator paper (refill)

0 111 100	na mulcator paper (re	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Chemical: cellulo	se		CAS No.: 9004-34-6
	Concentration:	90 - <100 %		
	Formula:	(C ₆ H ₁₀ O ₅) _n		
	REACH Reg. No.:	exempt, Annex IV		
	EC No.:	232-674-9		
	RTECS:	FJ5691460		
	TSCA Inventory:	listed		
	KE No.:	KE-05339		
	acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
	Chemical: <i>indica</i> Concentration:	tor dye(s) 0.1 - <1 %		CAS No.: -
		all <1%		
	TSCA Inventory: acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary

inhaled.

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1	After SKIN Contact Not necessary. Remove dust with wetted tissue.
4.1.2	After EYE Contact Not necessary. Rub dust with teardrops from eyes
4.1.3	After INHALATION of Vapours Not necessary. After inhalation of dust fresh air should be
4.1.4	After ORAL Intake Not necessary.

4.2 Most important symptoms and effects, both acute and delayed

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

US:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230	Spec. ind. pH 6.4-8.0, reel, refill	Page: 3/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

- 5.2 Special hazards arising from the substance or mixture None.
- 5.3 Advice for firefighters No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional Information

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not necessary.
- 6.2 **Environmental precautions** not necessary
- 6.3 Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains.
- 6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

- 7.2 Conditions for safe storage, including any incompatibilities The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE): nwg
- 7.2.1 **Requirements for Stock Rooms and Containers** Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

5 m reels indicator paper (Chemical: cellulose	refill)	CAS No.: 9004-34-6
TRGS 900 (DE):	Staub 1.25 A / 4 E mg/m³ E/e respirable	
SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted aver	3 a ppm TWA 10 (total) / 5 (resp) mg/m³ age to a reference period of 8 hours, [STEL] Short-term exposure limit rek	ated to a 15-minute period
OSHA:	TWA 15 (total) / 5 (resp) mg/m³	
Chemical: indicator dye(s	5)	CAS No.: -

CHEREY-NAGE $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230 Spec. ind. pH 6.4-8.0, reel, refill Printing date: 09.05.2017 Date of issue: 28.03.2017		Page: 4/6	
8.2	Exposure controls Not necessary.		
8.2.1	Respiratory Protection Not necessary.		
8.2.2	Hand Protection Not necessary.		
8.2.3	Eye Protection Not necessary.		
8.2.4	Skin Protection Not necessary.		
8.2.5	Personal Hygiene Information not necessary.		
SECT	ION 9: Physical and che	mical properties	
9.1	Information on basic physi	cal and chemical properties	
	5 m reels indicator paper (ref Appearance: solid	Colour: colored Odor: odorless	
9.2	Other information Relevant Properties of Substance	Group	
SECT	ION 10: Stability and rea	ctivity	
10.1	Reactivity None		
10.2	Chemical stability No known instability.		
10.3	Possibility of hazardous re None.	actions	
10.4	Conditions to avoid		
10.5	Incompatible materials Not necessary. Avoid contact with c	oncentrated acids and oxidizing agents.	
10.6	Hazardous decomposition In the original package all parts/all re period under recommended condition	eagents are safety and separated stored. Decompositions are not observe	ed during the expiration
SECT	ION 11: Toxicological in	formation	
11.1	Information on toxicologica Following information is valid for		
	5 m reels indicator paper (r	-	
	Chemical: cellulose	CAS No.: 9004	-34-6
	- ,	sted California Proposition 65 List: not listed halation, skin and/or eye contact	
	Target Organs: E	yes, skin, respiratory system	
		itation eyes, skin, mucous membrane ot listed Canada CEPA 1999: DSL yes	
	Japan CSCL/PRTR: no	bt listed	
	-	ot listed Japan ISHL: not listed t listed	
	Korea Exist.Chem.Inventory: K		
	LD50 _{orl rat} :	5000 mg/kg	
		5800 _{4h} mg/m³ 2000 mg/kg	
			www.mn-net.com
	ACHEREY-NAGEL GmbH & Co. KG .	Neumann-Neander-Str. 6–8 · 52355 Düren · Germany	
	DE and international: CH:	FR: US: -41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484	821 0984

EN ISO 9001: 2008 CERTIFIED E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230 Printing date: 09.05.2017		Spec. ind. pH 6.4-8.0, Date of issue: 28.03.20		Page: 5/6
	Chemical: indicator dy TSCA Inventory: all •	/e(s) <1%	CAS No.: -	
SECT	ION 12: Ecological inform	nation		
12.1	Toxicity Following information is valid for p	ure substances.		
	5 m reels indicator paper (refill Chemical: cellulos Water hazard class (DE): Storage class (VCI):		CAS No.: 9004-34-6	
	Chemical: indicate Storage class (VCI):	or dye(s) 12-13	CAS No.: -	
12.2	Persistence and degradabiling not necessary	ty		
12.3	Bioaccumulative potential not necessary			
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB as no data available	sessment		
12.6	Other adverse effects no additional data available			
	ION 13: Disposal conside	erations		
13.1	Waste treatment methods GENERAL: Empty solids into municipa	al waste, empty liquids diluted into	drains.	
SECT	ION 14: Transport inform	ation		
14	.1 - 14.4 Not necessary			
14.5	Environmental hazards not necessary			
14.6	Special precautions for user not necessary			
14.7	Transport in bulk according not applicable	to Annex II of MARPOL ar	d the IBC Code	
SECT	ION 15: Regulatory Inform	nation		
15.1	Safety, health and environm	ental regulations/legislations/legislation	on specific for the substance or mixtu	ire
15.2	Chemical safety assessmen	t		



Version: 2.4.3

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90230	Spec. ind. pH 6.4-8.0, reel, refill	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 16: Other Information

16.1 List of R, H and P phrases

- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 **Training Advice**

Regular safety training.

16.3 **Recommended Restriction on Use**

None

16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com