

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Congo paper MN 816 N (5m reel) Page: 1/7

Date of issue: 28.02.2017 Printing date: 09.05.2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

REF 90702

Product name Congo paper MN 816 N (5m reel)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 5 m reel Congo paper

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposuré Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: msds@mn-net.com

#### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/MSDS

## **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

## 5 m reel Congo paper

Directive 1999/45/EC

R 45

Symbols



CLP Directive 1272/2008/EC

GHS pictograms



GHS08

Signal word **DANGER** 

Hazard identification Hazard classes/categories

H350 Karz 1A

#### 2.2 Label elements

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90702 Congo paper MN 816 N (5m reel) Page: 2/7

Printing date: 09.05.2017 Date of issue: 28.02.2017

According CLP (GHS) inner packages must be only labelled with symbol(s) and product identificator (EU 1272/2008 Annex I - 1.5.1.2).

### 5 m reel Congo paper

Directive 1999/45/EC Symbols:



T

R 45

May cause cancer.

S 53

Avoid exposure — obtain special instructions before use.

CLP Directive 1272/2008/EC GHS pictograms:



GHS08

Signal word: DANGER

H350

May cause cancer.

P280sh, P308+313, P405

Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up.

#### 2.3 Other hazards

Possible Hazards from physicochemical Properties

Information pertaining to particular Risks to Human and possible Symptoms

May cause cancer. May cause cancer if inhaled.

Information pertaining to particular Risks to the Environment

PBT: not applicable vPvB: not applicable

Other Hazards

---

# **SECTION 3: Composition/Information on Ingredients**

### 3.1 Substances or 3.2 Mixtures

5 m reel Congo paper

Chemical: Congo red (pH indicator) CAS No.: 573-58-0

Concentration: 0,1 - <3 %

Formula:  $C_{32} H_{22} N_6 Na_2 O_6 S_2$ 

Pseudonym: 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(2,1-diazenediyl)]bis[4-amino-1-naphthalenesulfonic acid, disodium salt

SVHC listed: listed (Dec 2013)

EC No.: 209-358-4 Indice No.: 611-027-00-8 RTECS: QK1400000 MFCD: 00004028

TSCA Inventory: listed

KE No.: KE-07152 acc. 1999/45/EC: R 45 acc. CLP (GHS): H350

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-fr@mn-net.com
 E-mail:
 sales-us@mn-net.com

# **MACHEREY-NAGEL**



CAS No .: -

# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

KE-05339

REF: 90702 Congo paper MN 816 N (5m reel) Page: 3/7

Printing date: 09.05.2017 Date of issue: 28.02.2017

Chemical: filter paper (cellulose CAS 9004-34-6)

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

3.3 Remarks

List of R, H and P phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

KE No .:

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of Vapours

After inhalation of dust fresh air should be inhaled.

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

Avoid inhalation of dust. Carcinogenic Effects: May cause cancer. May cause cancer if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

---

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-fr@mn-net.com
 E-mail:
 sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 90702
 Congo paper MN 816 N (5m reel)
 Page: 4/7

 Printing date: 09.05.2017
 Date of issue: 28.02.2017

### 6.4 Reference to other sections

---

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Products containing also toxic substances should be kept locked up

Storage class (VCI): 6.1B Water hazard class (DE): 3

#### 7.2.1 Requirements for Stock Rooms and Containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

### 7.3 Specific end use(s)

Product for analytical use.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

5 m reel Congo paper

Chemical: Congo red (pH indicator) CAS No.: 573-58-0

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No.: -

TRGS 900 (DE): 1.25 A / 4 E mg/m<sup>3</sup>

E/e respirable

SUVA(CH) MAK value: 3 a mg/m³

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

#### 8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory Protection

No additional recommendations.

### 8.2.2 Hand Protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

#### 8.2.3 Eye Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

#### 8.2.4 Skin Protection

Recommended to avoid contamination with these hazards.

#### 8.2.5 Personal Hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

5 m reel Congo paper

Appearance: solid Colour: red Odor: odorless

#### 9.2 Other information

**Relevant Properties of Substance Group** 

---

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984
Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272
E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90702 Congo paper MN 816 N (5m reel) Page: 5/7

Printing date: 09.05.2017 Date of issue: 28.02.2017

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with concentrated acids and oxidizing agents. Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Following information is valid for pure substances.

5 m reel Congo paper

Chemical: Congo red (pH indicator) CAS No.: 573-58-0

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-07152 143 mg/kg LD50<sub>orl rat</sub>: LC Loworl hmn: 143 mg/m<sup>3</sup>

Carcinogenic Effects: May cause cancer. May cause cancer if inhaled.

EU carcinogen: carc. 2, R<sub>E</sub> 3

Chemical: filter paper (cellulose CAS 9004-34-6) CAS No : -

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed

Japan PDSCL: not listed Japan ISHL: not listed

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-05339 LD50<sub>orl rat</sub>: >5000 mg/kg LC50<sub>ihl rat</sub>: >5800<sub>4h</sub> mg/m<sup>3</sup> LD50<sub>drm rbt</sub>: >2000 mg/kg

## **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

5 m reel Congo paper

Chemical: Congo red (pH indicator) CAS No.: 573-58-0

Water hazard class (DE): Storage class (VCI): 61B

filter paper (cellulose CAS 9004-34-6) CAS No .: -

Water hazard class (DE): nwg Storage class (VCI):

#### 12.2 Persistence and degradability

not necessary

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +41 62 388 55 05 Fax: +49 24 21 969-199 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

# **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 90702
 Congo paper MN 816 N (5m reel)
 Page: 6/7

 Printing date: 09.05.2017
 Date of issue: 28.02.2017

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

### 13.1 Waste treatment methods

Dispose of contents/container to regulated waste treatment.

### **SECTION 14: Transport information**

14.1 - 14.4: No dangerous goods according the transport regulations

### 14.5 Environmental hazards

not necessary

#### 14.6 Special precautions for user

not necessary

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## **SECTION 15: Regulatory Information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

### 15.2 Chemical safety assessment

not necessary for these small amounts ---

#### **SECTION 16: Other Information**

#### 16.1 List of R, H and P phrases

16.1.1 List of relevant R phrases

R45 May cause cancer.

16.1.2 List of relevant H phrases

H350 May cause cancer.

16.1.3 List of relevant P phrases

P201 Obtain special instructions before use. P280sh Wear protective gloves/eye protection.

P308+313 IF exposed or concerned. Get medical advice/attention.

P405 Store locked up.

### 16.2 Training Advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

#### 16.3 Recommended Restriction on Use

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG  $\cdot$  Neumann-Neander-Str. 6–8  $\cdot$  52355 Düren  $\cdot$  Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

# **ACHEREY-NAGEI**



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90702 Congo paper MN 816 N (5m reel) Page: 7/7 Printing date: 09.05.2017 Date of issue: 28.02.2017

Only for professional user

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EÉC or DE §§ 4 und 5 MuSchRiV)!

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 **Further Information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work TRGS 905, German engineering rules governing carcinogens and mutagens, updated March 2016 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

#### Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com