MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91201	AQUADUR 5-25/ 100 pcs	Page: 1/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier REF Product name	91201 AQUADUR 5-25/ 100 pcs
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or tance(s) does not equire registration or ed from registration.
		1 x 100 test strips
1.2	Relevant identified uses Product for analytical use.	e substance or mixture and uses advised against cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 tegrated into sections 1-16.
1.3	Details of the supplier of the s Manufactured by: MACHEREY-NAGEL GmbH & Co. Neumann-Neander-Str. 6-8, 52355 Tel.: +49 2421 969 0	KG
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	guages) in Internet: http://www.mn-net.com/MSDS
SECT	ION 2: Hazard identificatio	n
2.1	Classification of the substance	e or mixture
	100 test strips	
	Directive 1999/45/EC	
	Symbols CLP Directive 1272/2008/EC	- do not need labelling as hazardous
	GHS pictograms Signal word	do not need labelling as hazardous -
	No hazard class	
2.2	Label elements	
	100 test strips	
	Directive 1999/45/EC Symbols: -	
	-	
	S 22	

www.mn-net.com



 MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
 US:

 DE and international:
 CH:
 FR:
 US:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-sfr@mn-net.com
 E-mail:
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91201	AQUADUR 5-25/ 100 pcs	Page: 2/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

Do not breathe dust.

CLP Directive 1272/2008/EC GHS pictograms:

do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100 test strips

esisiips			
Chemical: cellulo	ose		CAS No.: 9004-34-6
Concentration:	1 - <10 %		
Formula:	(C ₆ H ₁₀ O ₅) _n		
REACH Reg. No.:	exempt, Annex IV		
EC No.:	232-674-9		
RTECS:	FJ5691460		
TSCA Inventory:	listed		
KE No.:	KE-05339		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Concentration: TSCA Inventory:	icals/mixture < 1%, no declaration ne 0,1 - <1 % all <1%	ecessary	CAS No.: -
KE No.:	listed		
acc. 1999/45/EC:	-	acc. CLP (GHS):	not necessary
Concentration:	oil (CAS 9002-86-2) 95 - <100 %		CAS No.: -
TSCA Inventory: acc. 1999/45/EC:	listed -	acc. CLP (GHS):	not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

4.1.2 After EYE Contact Not necessary. Rub dust with teardrops from eyes

EREY-NAGE $\langle MN \rangle$ EN ISO 9001: 2008 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com E-mail: info@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		AQUADUR 5-25/ 100 pcs	Page: 3/6
Printing) date: 09.05.2017	Date of issue: 28.03.2017	
4.1.3	,	oours tion of dust fresh air should be inhaled.	
4.1.4	After ORAL Intake Not necessary.		
4.2	Most important sympto Avoid inhalation of dust	ms and effects, both acute and delayed	
4.3	Indication of any imme No additionally recommendation	diate medical attention and special treatment needed	
SECT	ION 5: Firefighting m	easures	
5.1		o the fire classification, and, if applicable, a fire blanket must be available in a promine ▶ FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.	nt location in the
5.2	Special hazards arising None.	from the substance or mixture	
5.3	Advice for firefighters No, for listed product. Product	backage burns like paper or plastic.	
5.4	Additional Information		
SECT	ION 6: Accidental rel	ease measures	
6.1	Personal precautions, p Not necessary.	protective equipment and emergency procedures	
6.2	Environmental precaut	ons	
6.3	Methods and material for Clean working area with water.	or containment and cleaning up Flush used water into drains.	
6.4	Reference to other sect	ions	
SECT	ION 7: Handling and	storage	
7.1	Precautions for safe ha Handling in accordance with th	ndling e test instruction, that comes with the product.	
7.2		rage, including any incompatibilities f MACHEREY-NAGEL allows a safe storage. 11 1	
7.2.1	Requirements for Stock Keep original product pack	Rooms and Containers ages tightly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		
SECT	ION 8: Exposure con	trols/personal protection	
8.1	Control parameters		
	100 test strips Chemical: <i>cellulose</i> TRGS 900 (DE):	CAS No.: 9004-34-6 E/e respirable	
	SUVA(CH) MAK value: NIOSH:	3 a ppm TWA 10 (total) / 5 (resp) mg/m³	
	[TWA] Time-weighted a	verage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period TWA 15 (total) / 5 (resp) mg/m ³	
			www.mn-net.com



Version: 2.4.3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Tel.: +41 62 300 00 00 Fax: +41 62 388 55 05

Printing 8.2 3.2.1 3.2.2 3.2.3 3.2.4	Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	PVC foil (CAS 9002- ontrols / Protection ary. ction ary. tion ary. ction ary.	Date of issue: 28	
3.2.1 3.2.2 3.2.3	Chemical: Exposure co Not necessary. Respiratory Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	PVC foil (CAS 9002- ontrols y Protection ary. ary. tion ary. ction ary. ction ary.	-	,
3.2.1 3.2.2 3.2.3	Chemical: Exposure co Not necessary. Respiratory Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	PVC foil (CAS 9002- ontrols y Protection ary. ary. tion ary. ction ary. ction ary.	-	,
3.2.1 3.2.2 3.2.3	Exposure co Not necessary. Respiratory Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	Protection ary. action ary. tion ary. ction ary. ggiene	-86-2 <i>)</i>	CAS No.: -
3.2.1 3.2.2 3.2.3	Not necessary. Respiratory Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	/ Protection ary. ction ary. tion ary. ction ary. ygiene		
3.2.1 3.2.2 3.2.3	Not necessary. Respiratory Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	/ Protection ary. ction ary. tion ary. ction ary. ygiene		
3.2.2 3.2.3	Not necessa Hand Prote Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal Hy Information	ary. action ary. tion ary. ction ary. ygiene		
3.2.3	Not necessa Eye Protect Not necessa Skin Protect Not necessa Personal H Information	ary. tion ary. ction ary. ygiene		
	Not necessa Skin Protec Not necessa Personal H Information	ary. c tion ary. ygiene		
3.2.4	Not necessa Personal Hy Information	ary. ygiene		
	Information			
3.2.5	ON 9. Phys			
SECTI	ON 0. 1 1195	ical and chemi	ical properties	
9.1	Information	on basic physical	l and chemical prop	perties
	100 test str Appearance		Colour: colored	Odor: odorless
9.2	Other inform Relevant Proper	nation rties of Substance Gr	oup	
SECTI	ON 10: Stat	oility and react	ivity	
10.1	Reactivity None			
10.2	Chemical sta	•		
10.3	Possibility o	f hazardous react	tions	
10.4	Conditions t	o avoid		
10.5	Incompatible		entrated acids and oxidizin	ng agents
10.6	Hazardous d	lecomposition pro	oducts ents are safety and separa	ated stored. Decompositions are not observed during the expiration
SECTI	ON 11: Toxi	icological info	rmation	
11.1		on toxicological e		
	100 test strip	os		
	Chemical: TSCA Inven Exposure R Target Orga Symptoms: Australia NI	outes: inhala ins: Eyes irritat	ation, skin and/or eye conta , skin, respiratory system ion eyes, skin, mucous me	
	Japan CSCI			anda der A tood. Doe you
				www.mn-net.c
	ACHEREY-NAGEL and international:		mann-Neander-Str. 6–8 · 52 FR:	

 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Tel.: +49 24 21 969-0

Fax: +49 24 21 969-199 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	1201	AQUADUR 5-25/ 100 pcs		Page: 5/6
Printing	g date: 09.05.2017	Date of issue: 28.03.2017		
	Japan PDSCL:not listedSouth Korea TCCA:not listedKorea Exist.Chem.Inventory:KE-0533LD50 _{orl rat} :>5000 mLC50 _{ihl rat} :>5800 _{4h} LD50 _{drm rbt} :>2000 m	l 9 g/kg mg/m³	not listed	
	Chemical: chemicals/mixtur TSCA Inventory: all <1% Korea Exist.Chem.Inventory: listed	e < 1%, no declaration necessary	CAS No.: -	
	Chemical: PVC foil (CAS 90 TSCA Inventory: listed	002-86-2)	CAS No.: -	
SECI	ION 12: Ecological information	on		
12.1	Toxicity Following information is valid for pure se	ubstances.		
	100 test strips Chemical: <i>cellulose</i> Water hazard class (DE): Storage class (VCI):	nwg 11	CAS No.: 9004-34-6	
	Chemical: chemicals/m Water hazard class (DE): Storage class (VCI):	nixture < 1%, no declaration necessary 1 12-13	CAS No.: -	
	Chemical: PVC foil (CA	AS 9002-86-2)	CAS No.: -	
12.2	Persistence and degradability not necessary			
12.3	Bioaccumulative potential not necessary			
12.4	Mobility in soil not necessary			
12.5	Results of PBT and vPvB assess no data available	sment		
12.6	Other adverse effects no additional data available			
	TION 13: Disposal considerati	ions		
13.1	Waste treatment methods GENERAL: Empty solids into municipal was	ste, empty liquids diluted into drains.		
SECT	TION 14: Transport informatio	on		
1	4.1 - 14.4 Not necessary			
14.5	Environmental hazards			

- not necessary
- 14.6 Special precautions for user not necessary

ACHEREY-NAGE **MN** EN ISO 9001: 2008 CERTIFIED

Version: 2.4.3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE and international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88

 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

US:

Tel.: +1 484 821 0984

Fax: +1 484 821 1272

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91201	AQUADUR 5-25/ 100 pcs	Page: 6/6
Printing date: 09.05.2017	Date of issue: 28.03.2017	

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory Information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

SECTION 16: Other Information

- 16.1 List of R, H and P phrases
- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 Recommended Restriction on Use None

16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com

