

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Total acid Page: 1/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

REF 91353

Product name QUANTOFIX Total acid

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 100 test strips

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY

Tel.: +49 2421 969 0 E-mail: msds@mn-net.com

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/MSDS

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

100 test strips

Directive 1999/45/EC

Symbols do not need labelling as hazardous

CLP Directive 1272/2008/EC

GHS pictograms do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

100 test strips

Directive 1999/45/EC

Symbols:

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91353 QUANTOFIX Total acid Page: 2/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

S 22

Do not breathe dust.

CLP Directive 1272/2008/EC

GHS pictograms:

do not need labelling as hazardous

Signal word: -

2.3 Other hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC, 1999/45/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential.

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

Other Hazards

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

100 test strips

Chemical: cellulose CAS No.: 9004-34-6

 $\begin{tabular}{lll} Concentration: & 1 - <10 \ \% \\ Formula: & (C_6 \ H_{10} \ O_5 \)_n \\ REACH \ Reg. \ No.: & exempt, \ Annex \ IV \\ EC \ No.: & 232-674-9 \\ RTECS: & FJ5691460 \\ TSCA \ Inventory: & listed \\ \end{tabular}$

KE No.: KE-05339

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

Concentration: 0,1 - <1 %
TSCA Inventory: all <1%
KE No.: listed

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

Concentration: 95 - <100 %

TSCA Inventory: listed

acc. 1999/45/EC: - acc. CLP (GHS): not necessary

3.3 Remarks

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary. Remove dust with wetted tissue.

4.1.2 After EYE Contact

Not necessary. Rub dust with teardrops from eyes

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE and international: CH: FR: US:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984

Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272

E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Total acid Page: 3/6 Printing date: 09.05.2017 Date of issue: 28.03.2017

4.1.3 After INHALATION of Vapours

Not necessary. After inhalation of dust fresh air should be inhaled.

4.1.4 After ORAL Intake Not necessary.

4.2 Most important symptoms and effects, both acute and delayed

Avoid inhalation of dust. ---

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. --

SECTION 5: Firefighting measures

5.1 **Extinguishing media**

> Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Not necessary

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

64 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

> The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (VCI): 11 Water hazard class (DE):

7.2.1 **Requirements for Stock Rooms and Containers**

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

100 test strips

cellulose CAS No.: 9004-34-6 Chemical:

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³ E/e respirable

SUVA(CH) MAK value:

NIOSH:

: TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

IACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Total acid Page: 4/6 Printing date: 09.05.2017 Date of issue: 28.03.2017

OSHA:

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No .: -

TWA 15 (total) / 5 (resp) mg/m³

Chemical: PVC foil (CAS 9002-86-2) CAS No .: -

8.2 **Exposure controls**

Not necessary.

8.2.1 **Respiratory Protection**

Not necessary.

8.2.2 **Hand Protection**

Not necessary.

8.2.3 **Eye Protection**

Not necessary.

8.2.4 **Skin Protection**

Not necessary.

Personal Hygiene 8.2.5 Information not necessary.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

100 test strips

Appearance: solid Colour: colored Odor: odorless

9.2 Other information

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

10.5 Incompatible materials

Not necessary. Avoid contact with concentrated acids and oxidizing agents.

10.6 Hazardous decomposition products

> In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 test strips

Chemical: CAS No.: 9004-34-6 cellulose

TSCA Inventory: California Proposition 65 List: not listed listed

Exposure Routes: inhalation, skin and/or eye contact Eyes, skin, respiratory system Target Organs: Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: Canada CEPA 1999: DSL yes

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE and international: CH: FR:

Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91353 QUANTOFIX Total acid Page: 5/6

Printing date: 09.05.2017 Date of issue: 28.03.2017

Japan CSCL/PRTR: not listed

Japan PDSCL: not listed Japan ISHL: not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-05339

 LD50_{orl rat}:
 >5000 mg/kg

 LC50_{ihl rat}:
 >58004_h mg/m³

 LD50_{drm rbt}:
 >2000 mg/kg

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

TSCA Inventory: all <1% Korea Exist.Chem.Inventory: listed

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

TSCA Inventory: listed

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 test strips

Chemical: cellulose CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI): 11

Chemical: chemicals/mixture < 1%, no declaration necessary CAS No.: -

Water hazard class (DE):

Storage class (VCI): 12-13

Chemical: PVC foil (CAS 9002-86-2) CAS No.: -

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 Environmental hazards

not necessary

14.6 Special precautions for user

www.mn-net.com

US:



MACHEREY-NAGEL GmbH & Co. KG \cdot Neumann-Neander-Str. 6–8 \cdot 52355 Düren \cdot Germany

DE and international: CH: FR:

 Tel.:
 +49 24 21 969-0
 Tel.:
 +41 62 388 55 00
 Tel.:
 +33 388 68 22 68
 Tel.:
 +1 484 821 0984

 Fax:
 +49 24 21 969-199
 Fax:
 +41 62 388 55 05
 Fax:
 +33 388 51 76 88
 Fax:
 +1 484 821 1272

 E-mail:
 info@mn-net.com
 E-mail:
 sales-ch@mn-net.com
 E-mail:
 sales-fr@mn-net.com
 E-mail:
 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91353
 QUANTOFIX Total acid
 Page: 6/6

 Printing date: 09.05.2017
 Date of issue: 28.03.2017

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory Information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment

SECTION 16: Other Information

- 16.1 List of R, H and P phrases
- 16.1.1 List of relevant R phrases
- 16.1.2 List of relevant H phrases
- 16.1.3 List of relevant P phrases
- 16.2 Training Advice

Regular safety training.

16.3 Recommended Restriction on Use

None

16.4 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of Key Data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated September 2016

SUVA .CH, Limits in air at work 2009, revised on 01.2009

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGEL

www.mn-net.com

 DE and international:
 CH:
 FR:
 US:

 Tel.: +49 24 21 969-0
 Tel.: +41 62 388 55 00
 Tel.: +33 388 68 22 68
 Tel.: +1 484 821 0984

 Fax: +49 24 21 969-199
 Fax: +41 62 388 55 05
 Fax: +33 388 51 76 88
 Fax: +1 484 821 1272

 E-mail: info@mn-net.com
 E-mail: sales-ch@mn-net.com
 E-mail: sales-fr@mn-net.com
 E-mail: sales-us@mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany